
 SAMPLE EVALUATION FORM																					
RFQ/TENDER REFERENCE: RFQ-4200504562 - Supply and Delivery of Construction Tools and PPEs Evaluation Date: 13-Sep-2023		Rating																			
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: small;">Quality according to requirements 100% meet all parameters</td> <td style="text-align: center;">5</td> </tr> <tr> <td style="font-size: small;">Not fit from requirements Passed all parameters with observations.</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="font-size: small;">Acceptable quality but not according to with critical non-conformity.</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="font-size: small;">Poor quality and not according to requirements</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="font-size: small;">Very poor quality. Out of specifications</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="font-size: small;">NOK. Requirements not provided or have CRITICAL non-conformity</td> <td style="text-align: center;">0</td> </tr> </table>										Quality according to requirements 100% meet all parameters	5	Not fit from requirements Passed all parameters with observations.	4	Acceptable quality but not according to with critical non-conformity.	3	Poor quality and not according to requirements	2	Very poor quality. Out of specifications	1
Quality according to requirements 100% meet all parameters	5																				
Not fit from requirements Passed all parameters with observations.	4																				
Acceptable quality but not according to with critical non-conformity.	3																				
Poor quality and not according to requirements	2																				
Very poor quality. Out of specifications	1																				
NOK. Requirements not provided or have CRITICAL non-conformity	0																				
Reference samples show general condition pictures below:																					
Characteristic <small>(For Core-items, Procurement staff to list specifications using IOM Logistic Catalogue. For non-core items, Procurement staff to list the requirements as validated together with the Quality Control for inspection purposes.)</small>	AQI Critical (Major/minor)	Vendor 1		Vendor 2		Vendor 3		Findings		Rate											
		Findings	Rate	Findings	Rate	Findings	Rate	Findings	Rate	Findings	Rate										
Steel Measuring Tape																					
Length 10 M	C	yes	5	yes	5	not submitted	0														
Width 25 mm	M	yes	5	yes	5	not submitted	0														
With metric and inch	C	yes	5	yes	5	not submitted	0														
With 3 stop button function	m	yes	5	yes	5	not submitted	0														
With rubber cover	m	No, hard plastic cover	3	yes	5	not submitted	0														
Packed by plastic hanger	m	yes	3	yes	5	not submitted	0														
Subtotal			26		30		0														
Bricklaying trowel																					
Size: 8"/200mm	M	yes	5	yes	5	yes	5														
Diameter of shank: 9.5mm	M	yes, 10 mm	5	yes	5	no	3														
Unique design handle	m	yes	5	yes	5	yes	5														
Packed by label	m	yes	5	yes	5	no	2														
Subtotal			20		20		15														
Paint brush																					
Plastic handle covered rubber	M	yes	5	yes	5	yes	5														
Size : 4" (100mm)	C	yes	5	yes	5	yes	5														
Bristle length: 70mm	C	yes	5	No, but there is 57mm	4	yes	5														
Thickness: 22mm	M	yes	5	yes	5	yes	5														
High quality bristles Packed by color sleeve	M	yes	4	yes	5	yes	5														
Subtotal			24		24		25														
Hacksaw frame																					
Unique design INDUSTRIAL Hacksaw frame with 1pcs of 65Mn saw blade																					
Size: 300mm/12	C	yes	5	yes	5	yes	5														
Heavy duty frame	C	yes	5	yes	5	yes	5														
Aluminum + ABS + TPR handle	M	yes	5	No, but it is made of sturdy metal	4	No, but it is made of sturdy metal	4														
Strong and Comfortable Adjustable tension	M	yes	5	yes	5	yes	5														
Quick-release blade changing mechanism	M	yes	5	yes	5	yes	5														
Inclusion of 1pcs 65Mn saw blade	M	yes	5	yes	5	yes	5														
Packed by paper card	m	no, it is with plastic cover	3	no	3	no	5														
Subtotal			33		32		34														
Hand Hacksaw Blade																					
Length: 12"	C	yes	5	yes	5	yes	5														
Heavy duty blade 300mm (12")	C	yes	5	yes	5	yes	5														

Characteristic <small>(For Core-Items, Procurement staff to list specifications using OCM Logistic Checklist. For non-core items, Procurement staff to list the requirements, as validated together with the Quality Official for inspection purpose.)</small>	A/C (Critical requirement)	Vendor 1		Vendor 2		Vendor 3					
Size (AxBxC) : 36"(900mm)x1-1/2"(30mm)x16/25"(16.0mm)	M	yes	5	yes	5	yes	5				
Oval shank	M	yes	5	yes	5	yes	5				
notch (30°, 68°)	M	yes	5	yes	5	yes	5				
Subtotal			15		15		15				
Combination pliers											
Size : 7"/180mm	M	no, 170mm	4	yes	5	yes	5				
Polish and anti-rust oil	M	yes	5	yes	5	yes	5				
Two color handle	m	yes	5	yes	5	yes	5				
Packed by sliding card	m	yes	5	yes	5	yes	5				
Subtotal			19		20		20				
Rabbit pliers											
Size : 10"/250mm Cr-V	C	no, 230 mm	4	yes	5	not submitted	0				
Black finish and polish	M	yes	5	yes	5	not submitted	0				
Plastic handle	M	yes	5	yes	5	not submitted	0				
Subtotal			14		15		0				
Claw hammer											
Weight: 16oz/450g	C	yes	5	yes	5	not submitted	0				
Drop-forged	M	yes	5	yes	5	not submitted	0				
Hammerhead Heat treatment	M	yes	5	yes	5	not submitted	0				
45# carbon steel	C	yes	5	yes	5	not submitted	0				
Unique design	m	yes	5	yes	5	not submitted	0				
Fiberglass handle	M	yes	5	yes	5	not submitted	0				
Subtotal			30		30		0				
Round wood file											
Length:200mm	C	no	2	yes	5	not submitted	0				
T12 Steel	C	no	2	yes	5	not submitted	0				
Packed by poly bag	m	no	2	yes	5	not submitted	0				
Subtotal			6		15		0				
Impact drill											
Voltage:220-240V-50/60Hz	C	yes	5	yes	5	yes	5				
Input power:680W	C	yes	5	yes	5	yes	5				
No-load Speed:0-2800rpm Max	C	yes	5	yes	5	yes	5				
Max. Drilling capacity:13mm Hammer function	M	yes	5	yes	5	yes	5				
Variable Speed control Forward/Reverse switch	M	yes	5	yes	5	yes	5				
Subtotal			25		25		25				
Steel shovel with handle											
Length: 1020mm	M	yes	5	yes	5	yes	5				
Shovel head length: 95mm	M	no, 90 mm	4	yes	5	yes	5				
Shovel weight: 1kg	M	yes	5	yes	5	yes	5				
Shovel head width: 220mm	M	yes	5	yes	5	yes	5				
Shovel head length: 295mm	M	yes	5	yes	5	yes	5				
Material: carbon steel	C	yes	5	yes	5	yes	5				
Subtotal			29		30		30				

Characteristic <small>(For Core-Items, Procurement staff to list specifications using OCM Logistics Checklist. For non-core items, Procurement staff to list the requirements, as validated together with the Quality Officer for inspection purposes.)</small>	AQL (Critical Imper number)	Vendor 1		Vendor 2		Vendor 3					
Gravel rake with handle											
Length:1200mm	M	yes	5	yes	5	yes	5				
Shovel weight: 1kg	M	no, about 700g	3	yes	5	yes	5				
Shovel head width: 100mm	M	yes	5	yes	5	yes	5				
Shovel head length: 350mm	M	yes	5	yes	5	yes	5				
Material: carbon steel	C	yes	5	yes	5	yes	5				
Subtotal			23		25		25				
Rain boots with safety tip											
Virgin PVC/nitril material	M	yes but quality is not good	3	yes	5	yes	5				
Height: 37cm	C	no, 36 cm	4	yes	5	yes	5				
High level oil, Acid and Alkali resistance	M	yes but not sure about acid	5	yes	5	yes	5				
100% Waterproof	C	yes	5	yes	5	yes	5				
Subtotal			17		20		20				
Safety helmet White											
PE shell with vents	M	no, PE shell with vents	3	yes	5	no	3				
Lining material: plastic	M	yes	5	yes	5	yes	5				
Chin strap included	C	no Chin strap included	2	yes	5	no	3				
Color: white	C	yes	5	yes	5	yes	5				
Weight : 330g	C	no		yes	5	no, 250g	3				
8 Point suspension	M	no, 6 points	3	yes	5	no	3				
Adjust head size by buckle	M	yes	5	yes	5	yes	5				
Subtotal			23		35		27				
Safety helmet Yellow											
PE shell with vents	M	no PE shell with vents	2	yes	5	yes	5				
Lining material: plastic	M	yes	5	yes	5	yes	5				
Chin strap included	C	no Chin strap included	2	yes	5	no	0				
Color: yellow	C	yes	5	yes	5	yes	5				
Weight : 330g	C	no	2	yes	5	no, 250g	3				
8 Point suspension	M	yes	5	yes	5	no	3				
Adjust head size by buckle	M	yes	5	yes	5	yes	5				
Subtotal			26		35		26				
Safety goggles											
Material: PC The length of temple can be adjusted in 4 different positions	M	yes	5	yes	5	no	4				
Temple line for easier and safer use	M	yes	5	yes	5	yes	5				
Integrated encircling type	M	yes	5	yes	5	yes	5				
Design gives flank protection	M	yes	5	yes	5	yes	5				
Packed by double blister	m	yes	5	yes	5	yes	5				
Subtotal			25		25		24				
Leather gloves											
Use for carriers, machining operators, garden work											
Cow split leather gloves	M	yes	5	It is not leather, but it is good quality	4	yes	5				
Cotton back	M	no cotton back	3	no	3	yes	5				
Rubberized cuff	M	no rubberized cuff	3	no	3	yes	5				
Half lining	M	yes	5	no	3	yes	5				

Characteristic <small>(For Core-Items, Procurement staff to list specifications using GCM Logistic Catalogue. For non-core items, Procurement staff to list the requirements, as validated together with the Quality Officer for inspection purpose.)</small>	AOL (Critical Impediment)	Vendor 1		Vendor 2		Vendor 3					
Subtotal			16		13		20				
Spirit level											
Length : 100cm	C	yes	5	yes	5	yes	5				
Double side	C	yes	5	yes	5	yes	5				
Milled 0.5mm/m	M	yes	5	yes	5	yes	5				
Accurate vials	C	yes	5	yes	5	no	0				
Thickness:1.5mm	M	yes	5	yes	5	yes	5				
V-shape Slot for measuring objects with round surface	M	yes	5	yes	5	no	0				
Subtotal			30		30		20				
Plastic float trowel											
Size: medium 320x160mm	M	yes	5	yes	5	not submitted	0				
Quality PVC	C	yes	5	yes	5	not submitted	0				
Reinforced with structural ribs	C	yes	5	yes	5	not submitted	0				
Subtotal			15		15		0				
Pickaxe											
With handle	C	yes but handle is privided separately	4	yes, but handle is privided separately	4	yes, but handle is privided separately	4				
Length (mm) 900	M	yes	5	yes	5	yes	5				
Width (mm) 90	M	yes	5	yes	5	yes	5				
Width (mm) 90	M	yes	5	yes	5	yes	5				
Subtotal			19		19		19				
Wheelbarrow											
Concrete Falcon Pan Guage 0.8mm		yes, with metal basin	5	yes, but the basin is plastic, but of good quality	4	yes, with metal basin	5				
5mm steel reinforced		yes	5	yes	4	yes	5				
Pan Capacity: 65L and		yes	5	yes	5	yes	5				
Frame : AE32 x 1.6mm		yes	5	yes	5	yes	5				
Subtotal			20		18		20				
Framing square											
Length 350 mm	C	yes	5	yes	5	no	3				
Width 203 mm	C	yes	5	yes	5	no	3				
Height 2.5 mm	M	yes	5	yes	5	no	3				
Material: Steel	M	yes	5	yes	5	no	3				
Application of printed markings with long durability	M	yes	5	yes	5	no	3				
Permanent graduations	C	yes	5	yes	5	no	3				
Subtotal			30		30		18				
Construction Nylon thread roll											
Materials: Good quality Nylon	C										
Diameter: 7 mm	M	yes	5	yes	5	yes	5				
Length of roll : 30 m	M	yes, but with 100m	5	yes, but with 100m	5	yes, but with 100m	5				
Subtotal			10		10		10				
Machete											
Carbon steel blade and construction with two pieces of wood riveted together through the tang of the handle	M	no, With plastic handle	3	yes	5	yes	5				
Clear coat protection visible on the blade	m	yes	5	yes	5	yes	5				
Overall Length: 21.5 inch	M	yes	5	yes	5	yes	5				

Characteristic <small>(For Core-Items, Procurement staff to list specifications using CM Logistic Certificate. For non-core items, Procurement staff to list the requirements, as validated together with the Quality Official for inspection purpose.)</small>	ACU (Critical Impediment)	Vendor 1		Vendor 2		Vendor 3				
Subtotal			13		15		15			
Paint brush 2										
2-inch-wide	C	yes	5	yes	5	not submitted	0			
5/16 Thick Natural Bristle Paint Brush	C	yes	5	yes	5	not submitted	0			
Subtotal			10		10		0			
30 Meter measuring tape										
Reads metric	C	yes	5	no, But is good quality, metal	4	no, But is good quality, metal	4			
Materials : Fiber / cotton	C	yes, but is fiber glass	4	no, is metal	4	no, is metal	4			
Subtotal			9		8		8			
Hoe										
(2.5 pound)	M	yes	5	yes	5	not submitted	0			
Wooden handle 130 cm	C	no, but there is 110cm	3	yes	5	not submitted	0			
Subtotal			8		10		0			
Water level										
Water level Pipe 6.3mm dia	C	yes	5	yes	5	There are no requirements	1			
Length: 20 mter	C	yes	5	yes	5	There are no requirements	1			
Materials: plastic pipe	C	yes	5	yes	5	There are no requirements	1			
Subtotal			15		15		3			
Safety boots										
Category of protective footwear										
SB:steel toe cap	C	yes	5	yes	5	There are no requirements	0			
Split leather upper	C	yes	5	yes	5	There are no requirements	0			
Dual density PU sole	C	yes	5	yes	5	yes	5			
Subtotal			15		15		5			
Construction Tape										
Red and White Non-Adhesive Barricade Warning Tape	C	yes	5	yes	5	yes	5			
Waterproof	C	yes	5	yes	5	yes	5			
Polyethylene Material	C	yes	5	yes	5	yes	5			
500 Meter Roll	M	yes	5	yes	5	yes	5			
Subtotal			20		20		20			
Rating average /5			765.0		782.0		489.0		###	###
Notes and Remarks										
Approvals						Signature				
Quality Evaluator	Fremio Joao Sabonete									
Quality Evaluator	Mauricio Mateus Herculano					Mauricio Mateus Herculano				
Shelter Project Officer	Yadav Prasad Mainali									